AD-A042 595

ARMY ENVIRONMENTAL HYGIENE AGENCY ABERDEEN PROVING GR--ETC F/G 6/6
TOPICAL HAZARD EVALUATION PROGRAM OF CANDIDATE INSECT REPELLENT--ETC(U)
AUG 77 M H WEEKS, B J DESENA
USAEHA-51-0855-77
NL

UNCLASSIFIED

NL

OF | ADA042595





























AD A 0 42595

TOPICAL HAZARD EVALUATION

OF CANDIDATE INSECT REPELLENT AI3-36080
LACTONE OF DIHYDROSASOME

STUDY NUMBER 51-0855-77
MARCH 1976 - JULY 1977

Approved for public release; distribution unlimited.



ODC FILE COPY

US ARMY

ENVIRONMENTAL HYGIENE AGENCY ABERDEEN PROVING GROUND, MD 21010 SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

USAEHA- REPORT DOCUMENTATION		BEFORE COMPLETING FORM
51-0855-77	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
Topical Hazard Evaluation Program of Candidate Insect Repellent AI3-36080, Study No. 51-0855-77 LACTOR OF DINY OF OSASOME. MAURICE H. WEEKS BRENDA J. DeSENA		Final Mar 76 Jul 77,
		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Environmental Hygiene Agency Aberdeen Proving Ground, MD 21010		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
Commander US Army Health Services Command		12. REPORT DATE Mar 76 - Jul 77
Fort Sam Houston, TX 78234 4. MONITORING AGENCY NAME & ADDRESS(II different from Controlling Office)		15. SECURITY CLASS, (of the report) Unclassified
		15. DECLASSIFICATION/DOWNGRADING SCHEDULE
8. SUPPLEMENTARY NOTES		AUG 8 1917
9. KEY WORDS (Continue on reverse side if necessary of AI3-36080 Lactone of Dihydrosasome Topical Hazard Evaluation Program candidate repellent skin irritation	eye irritation sensitization	
O. ABSTRACT (Continue on reverse side il necessary a A hazard evaluation of AI3-36080 of for skin and eye studies; Hartley		
Sprague-Dawley, Wistar-derived ra compound produced no skin or eye sensitization reaction and did no Ethanol solutions of AI3-36080 ca UV irradiated skin sities. Based AI3-36080 be approved for further	was conducted using guinea pigs for the state or a cute oral irritation, no photoder and used mild skin ir on these finding	a skin sensitization study; toxicity. The candidate otochemical irritation, no acute ingestion hazard. ritation to both UV and non- s, it is recommended that
Sprague-Dawley, Wistar-derived ra compound produced no skin or eye sensitization reaction and did no Ethanol solutions of AI3-36080 ca UV irradiated skin sities. Based AI3-36080 be approved for further	was conducted using guinea pigs for a state or a cute or a lirritation, no photoderical demonstrate and used mild skin ir on these finding testing as a can security case or the security case or thand case or the security case or the security case or the securit	a skin sensitization study; toxicity. The candidate otochemical irritation, no acute ingestion hazard. ritation to both UV and non- s, it is recommended that didate topical insect
Sprague-Dawley, Wistar-derived ra compound produced no skin or eye sensitization reaction and did no Ethanol solutions of AI3-36080 ca UV irradiated skin sities. Based AI3-36080 be approved for further D FORM 1473 EDITION OF I NOV 65 IS OBSO	was conducted using guinea pigs for the for acute oral irritation, no photoderical demonstrate and used mild skin ir on these finding testing as a can place.	a skin sensitization study; toxicity. The candidate otochemical irritation, no acute ingestion hazard. ritation to both UV and non- s, it is recommended that didate topical insect

SECURITY CLASSIFICATION OF THIS PAGE(When Date Entered) Item 20. repellent. Medical surveillance should be made of individuals handling extranol solutions of this compound. ACCESSION for White Section NIS Buff Section [100 DESKLOAMELE TOS : KONTRA DISTRIBUTION NAME ABOUTY CORES SPECIAL



DEPARTMENT OF THE ARMY

U.S. ARMY ENVIRONMENTAL HYGIENE AGENCY
ABERDEEN PROVING GROUND, MARYLAND 21010

3 AUG 1977

TOPICAL HAZARD EVALUATION
OF CANDIDATE INSECT REPELLENT AI3-36080
LACTONE OF DIHYDROSASOME
STUDY NUMBER 51-0855-77
MARCH 1976 - JULY 1977

ABSTRACT

A hazard evaluation of AI3-36080 was conducted using New Zealand White rabbits for skin and eye studies; Hartley guinea pigs for a skin sensitization study; Sprague-Dawley, Wistar-derived rats for acute oral toxicity. The candidate compound produced no skin or eye irritation, no photochemical irritation, no sensitization reaction, and did not demonstrate an acute ingestion hazard. Ethanol solutions of AI3-36080 caused mild skin irritation to both UV and non-UV irradiated skin sites. Based on these findings, it is recommended that AI3-36080 be approved for further testing as a candidate topical insect repellent. Medical surveillance should be made of individuals handling ethanol solution of this compound.

Approved for public release; distribution unlimited.



DEPARTMENT OF THE ARMY U.S. ARMY ENVIRONMENTAL HYGIENE AGENCY ABERDEEN PROVING GROUND, MARYLAND 21010

TOPICAL HAZARD EVALUATION
OF CANDIDATE INSECT REPELLENT AI3-36080
LACTONE OF DIHYDROSASOME
STUDY NUMBER 51-0855-77
MARCH 1976 - JULY 1977

1. AUTHORITY.

- a. Letter, US Department of Agriculture Agricultural Research Service, Southern Region, Insects Affecting Man Research Laboratory, Gainesville, Florida, 11 March 1976.
- b. Memorandum of Understanding between the US Army Environmental Hygiene Agency; the US Army Health Services Command; the US Department of the Army, Office of the Surgeon General; the Armed Forces Pest Control Board; and the US Department of Agriculture, effective December 1970 with Amendment No. 1, effective August 1974.
- 2. REFERENCE. Toxicology Division Procedural Guide, USAEHA, 1976.
- 3. PURPOSE. The purpose of this program is to provide guidance for further entomological testing of the candidate insect repellent AI3-36080.
- 4. SUMMARY OF FINDINGS. A hazard evaluation of the candidate repellent AI3-36080 (lactone of dihydrosasome) was conducted by this Agency using New Zealand White rabbits for skin and eye studies, Hartley guinea pigs for skin sensitization study and Sprague-Dawley, Wistar-derived rats for determination of oral toxicity. A tabular presentation of animal toxicity data developed in this Agency follows:*†

^{*} In conducting the studies described in this report, the investigators adhered to the "Guide for the Care and Use of Laboratory Animals," US Department of Health, Education and Welfare Publication No. (NIH) 74-23, revised 1972 - second printing 1974.

t The experiments reported herein were performed in animal facilities fully accredited by the American Association for the Accreditation of Laboratory Animal Care.

Test

Results

Interpretation

SKIN IRRITATION STUDIES

Rabbits

Single 24-hour application to intact and abraded skin of New Zealand White rabbits.

0.5 ml technical grade compound applied to each of six rabbits.

Compound AI3-36080 produced no primary irritation of the intact skin or the skin surrounding an abrasion.

USAEHA Category I (ref Appendix).

EYE IRRITATION STUDIES

Rabbits

Single 24-hour application of 0.1 ml technical grade compound to one eye of each of six New Zealand White rabbits.

Compound AI3-36080 produced no injury to the cornea, and in addition no injury to the conjunctiva.

USAEHA Category A (ref Appendix).

APPROXIMATE LETHAL DOSE (ALD)

Oral

Rats (male) - no diluent.

ALD >4900 mg/kg

Presents little lethal hazard from acute accidental ingestion.

Test

Results

Interpretation

PHOTOCHEMICAL SKIN IRRITATION STUDIES

Rabbits

A single application (0.05 ml) of a 25 percent (w/v) solution of the compound (AI3-36080) and of a 10 percent (w/v) oil of Bergamot solution (positive control) in 95 percent ethyl alcohol, were applied to the intact skin of six rabbits. Five minutes after application, the rabbits were exposed to UV light (365 nm) for 30 minutes at a distance of 10-15 cm.

A 25 percent solution of AI3~36080 in ethanol did not cause a photochemical irritation reaction under test conditions.

Ethanol solutions of AI3-36080 caused mild to moderate irritation reactions to both the UV and non-UV irradiated skin areas.

Compound AI3-36080 did not cause a photochemical irritation reaction under test conditions and is not expected to cause a photochemical irritation in humans.

Ethanol solutions may cause some slight discomfort if applied to sensitive individuals.

Control

Following UV exposure of the rabbits 0.5 ml of test compound, positive control and diluent were applied to additional skin areas to serve as unirradiated control sites. Application areas were checked for skin irritation reactions at 24, 48 and 72 hours.

Positive control application and irradiation caused greater irritant effects than in unirradiated skin areas.

Test

Results

Interpretation

SENSITIZATION STUDIES

Guinea Pigs (Male)

Intradermal injections of 0.1 ml of a 0.1 percent suspension (w/v) of AI3-36080 or of dinitrochlorobenzene (DNCB)* in a mixture containing 1 volume of propylene glycol and 29 volumes of saline.

Ten test guinea pigs received and challenged with 0.1 percent solution of AI3-36080

Challenge dose of test compound (last intradermal injection) did not produce a sensitization reaction. Compound AI3-36080 did not produce a sensitization reaction under these tests conditions and is not expected to produce a sensitization reaction in man.

Ten positive control guinea pigs received and challenged with 0.1 percent suspension of DNCB.

Ten cage control guinea pigs.

Five receiving challenge dose of test compound without prior sensitizing doses.

Five receiving challenge dose of DNCB without prior sensitizing doses.

Positive control (DNCB) produced a marked sensitization reaction in ten out of ten guinea pigs.

Cage control guinea pigs showed no greater reaction to test compound and DNCB than were seen in original test groups.

^{*} A known skin sensitizer.

Study No. 51-0855-77, Mar 76-Jul 77

- 5. CONCLUSION. Compound AI3-36080 produced no skin or eye irritation in rabbits, no photochemical irritation in rabbits, no sensitization reaction in guinea pigs and did not demonstrate an acute ingestion hazard. However, ethanol solutions may cause a slight irritant reaction if applied to the skin of sensitive individuals.
- 6. RECOMMENDATION. Under the provisions of the Memorandum of Understanding (reference paragraph 1b) it is recommended that AI3-36080, lactone of dihydrosasome, be approved for further testing as a candidate insect repellent. Medical surveillance should be made of individuals handling ethanol solutions of this compound or when the compound might be used as a topical repellent.

MAURICE H. WEERS
Chief, Toxicity Evaluation Branch

Toxicology Division

BRENDA J. DESENA

SP4

Veterinary Specialist Toxicology Division

APPROVED:

ARTHUR H. MCCREESH, Ph.D.

Chief, Toxicology Division

BRENDAN E. GOYCE, Ph.D.

LTC, MSC

Director, Laboratory Services

Study No. 51-0855-77, Mar 76-Jul 77

APPENDIX

TOPICAL HAZARD EVALUATION PROGRAM DEFINITIONS OF CATEGORIES OF COMPOUNDS BEING CONSIDERED FOR ACUTE SKIN APPLICATION

CATEGORY I - Compounds producing no primary irritation of the intact skin or no greater than mild primary irritation of the skin surrounding an abrasion. (INTERPRETATION: No restriction for acute application to the human skin.)

CATEGORY II - Compounds producing mild primary irritation of the intact skin and the skin surrounding an abrasion. (INTERPRETATION: Should be used only on human skin found by examination to have no abrasions or may be used as a clothing impregnant.)

CATEGORY III - Compounds producing moderate primary irritation of the intact skin and the skin surrounding an abrasion. (INTERPRETATION: Should not be used directly on the skin without a prophetic patch test having been conducted on humans to determine irritation potential to human skin. May be used without patch testing, with extreme caution, as clothing impregnants. Compound should be resubmitted in the form and at the intended use concentration so that its irritation potential can be reexamined using other test techniques on animals.

CATEGORY IV - Compounds producing moderate to severe primary irritation of the intact skin and of the skin surrounding an abrasion and, in addition, producing necrosis, vesiculation and/or eschars. INTERPRETATION: Should be resubmitted for testing in the form and at the intended use concentration. Upon resubmission, its irritation potential will be reexamined using other test techniques on animals, prior to possible prophetic patch testing in humans, at concentrations which have been shown not to produce primary irritation in animals.)

CATEGORY V - Compounds impossible to classiy because of staining of the skin or other masking effects owing to physical properties of the compound. (INTERPRETATION: Not suitable for use on humans.)

EYE CATEGORIES:

- A. Compounds noninjurious to the eye. INTERPRETATION: Irritation of human eyes is not expected if the compound should accidentaly get into the eyes, provided it is washed out as soon as possible.
- B. Compounds producing mild injury to the cornea. INTERPRETATION: Should be used with caution around the eyes.

Study No. 51-0855-77, Mar 76-Jul 77

- C. Compounds producing mild injury to the cornea, and in addition some injury to the conjunctiva. INTERPRETATION: Should be used with caution around the eyes and mucosa.
- D. Compounds producing moderate injury to the cornea. INTERPRETATION: Should be used with extreme caution around the eyes.
- E. Compounds producing moderate injury to the cornea, and in addition producing some injury to the conjunctiva. INTERPRETATION: Should be used with extreme caution around the eyes and mucosa.
- F. Compounds producing severe injury to the cornea and to the conjunctiva. INTERPRETATION: Should be used with extreme caution. It is recommended that use be restricted to areas other than the face.

